

From: Curtis, Jennifer
Sent time: 02/21/2014 02:17:38 PM
To: Reichgott, Christine; Pavy, Jonathan
Cc: Meade, Chris; Fauver, Becky; Brandt, Kit
Subject: RE: 92-091-FHW Juneau Access

Thank you, and many thanks to Becky and Chris!

Jennifer Curtis, NEPA Reviewer
US EPA-Alaska Operations Office
222 West 7th Avenue, #19
Anchorage, Alaska 99513
Phone: 907-271-6324
Fax: 907-271-3424

From: Reichgott, Christine
Sent: Friday, February 21, 2014 9:02 AM
To: Pavy, Jonathan
Cc: Curtis, Jennifer; Meade, Chris; Fauver, Becky; Brandt, Kit
Subject: 92-091-FHW Juneau Access
Importance: High

Hi Jonathan,
As Kit is out today, would you please format this letter for my signature today?
Thank you.
Jennifer, Chris, and Becky – nice letter!

Teena Reichgott

Manager, Environmental Review and Sediment Management Unit
Office of Ecosystems, Tribal, and Public Affairs
EPA Region 10 ETPA-088
1200 Sixth Avenue, Suite 900
Seattle, WA 98101-3140
206-553-1601

From: Curtis, Jennifer
Sent: Thursday, February 20, 2014 3:41 PM
To: Reichgott, Christine
Cc: Brandt, Kit
Subject: FW: Please hold processing on 92-091-FHW Juneau Access
Importance: High

Hi Teena,

As I indicated in my voicemail, this letter is ready to be reviewed.

Thanks!

Jennifer Curtis, NEPA Reviewer
US EPA-Alaska Operations Office
222 West 7th Avenue, #19
Anchorage, Alaska 99513
Phone: 907-271-6324
Fax: 907-271-3424

From: Curtis, Jennifer
Sent: Thursday, February 20, 2014 11:26 AM
To: Reichgott, Christine
Subject: RE: Please hold processing on 92-091-FHW Juneau Access

That is one of the things that needs to be addressed. Because of the long history and changing alternatives, and the different alternatives used in the 404b1 analysis and the EIS, and the fact that we are trying to integrate the two processes, we are trying to clarify a bit more, as well as correct this error.

Thanks!

Jennifer Curtis, NEPA Reviewer
US EPA-Alaska Operations Office
222 West 7th Avenue, #19
Anchorage, Alaska 99513
Phone: 907-271-6324
Fax: 907-271-3424

From: Reichgott, Christine
Sent: Thursday, February 20, 2014 11:06 AM
To: Curtis, Jennifer
Subject: RE: Please hold processing on 92-091-FHW Juneau Access

OK, thanks.

Also, noted a probable typo on page 2:

"EPA recommends that the applicant reassess the practicability analysis for Alternatives 3 and 3B, and re-evaluate the LEDPA determination."

Should 3B be changed to 3M?

Teena Reichgott

Manager, Environmental Review and Sediment Management Unit
Office of Ecosystems, Tribal, and Public Affairs
EPA Region 10 ETPA-088
1200 Sixth Avenue, Suite 900
Seattle, WA 98101-3140
206-553-1601

From: Curtis, Jennifer
Sent: Thursday, February 20, 2014 12:00 PM
To: Reichgott, Christine; Brandt, Kit
Subject: Please hold processing on 92-091-FHW Juneau Access
Importance: High

I am on the phone with Chris Meade and he has additional input. Sorry for any inconvenience.

Jennifer Curtis, NEPA Reviewer
US EPA-Alaska Operations Office
222 West 7th Avenue, #19
Anchorage, Alaska 99513
Phone: 907-271-6324
Fax: 907-271-3424